

# LawnMaster®



## 21V LITHIUM **EXTENSION POLE**

### **SAFETY AND OPERATING MANUAL**

PLEASE READ THIS MANUAL CAREFULLY BEFORE OPERATING THE UNIT

## LB21



A STEELFORT PRODUCT



PROUDLY  
NZ OWNED



## TABLE OF CONTENTS

<b>OPERATOR SAFETY</b>	<b>3</b>
<b>SAFETY RULES</b>	<b>3</b>
<b>OPERATION</b>	<b>4</b>
Adjust Length and Angle	
Install the Machine and Batteries	
<b>WARRANTY</b>	<b>5</b>

**Thank you for purchasing our LawnMaster 21V Lithium Extension Pole the information contained within this manual will help you to have many years of safe and trouble free use of this Lawn-master product.**

## **OPERATOR SAFETY**

### **SAFETY RULES**

This manual contains important safety information and instructions to operate the LawnMaster 21V Lithium Extension Pole.

PLEASE READ THIS MANUAL CAREFULLY BEFORE USING THE UNIT.

Failure to adhere to the safety instructions could result in property damage and/or serious personal injury.

This manual should be considered a permanent part of the extension pole and should remain with the unit at all times. All information in this publication is based on the latest product information available at the time of printing.

Product Information and specifications can be altered and/or improved without notice. Content from this publication may not be reproduced without written consent.

### **DANGER**

Indicates a hazardous situation which, if not strictly complied with, will result in substantial property damage and or serious injury.

### **WARNING**

Indicates a hazardous situation which, if not strictly complied with, may result in property damage

### **CAUTION**

Indicates a hazardous situation which, if not strictly complied with, could result in property damage or personal injury.

The warnings and precautions discussed in this manual does not cover all possible conditions and or scenarios that may occur.

It must be understood by the operator that common sense and caution must be taken into consideration when operating this product, as these are factors which cannot be built into this manual.

### **WORKPLACE SAFETY**

- Keep the workplace clean and well-lit to avoid accidents due to messy or dark environments.
- Do not operate the extension pole in explosive environments, such as those with flammable liquids, gas, or dust. Sparks generated during operation may ignite dust or gas.
- When operating the extension pole, keep away from children and bystanders. Focus on the operation to avoid losing control of the blower.

### **PERSONAL SAFETY**

- Stay alert and avoid operating the extension pole when tired, under the influence of drugs or alcohol, or during medical treatment, as this can lead to serious injury.
- Always wear goggles and, when necessary, use additional protective equipment like dust masks, non-slip safety shoes, safety helmets, and hearing protection to reduce the risk of personal injury.
- Before connecting the power supply or battery pack, picking up, or carrying the extension pole, ensure the switch is in the off position to prevent accidental starting.

## **SAFETY RULES**

### **PREPARATION**

- Do not let children or individuals unfamiliar with the operating instructions use the machine.
- Keep people (especially children) and pets away while operating the machine.
- Avoid wearing loose clothing or jewelry that could get caught.
- Always wear goggles when operating the machine.


### **OPERATION**

- Always turn off the machine and remove the battery pack: When placing the machine, Before clearing blockages, Before checking, cleaning, or handling the machine, After impact with foreign objects, If the machine starts vibrating abnormally.
- Only operate the machine in well-lit conditions.
- Walk, don't run, while using the machine.
- Turn off the machine, remove the battery pack, and wait until all moving parts have stopped before touching them.
- The LawnMaster extension pole can be only used in conjunction with the LawnMaster 21V Handsaw (LB21HS).



## OPERATION

### ADJUST LENGTH AND ANGLE


1. Lift the bow buckle "1" in the direction of the arrow, press the "2".



2. Pull the head "3" forward, release the pressure and continue to pull the head forward, hear a click, press the automatic lock "4", press the bow buckle into the "5" state.




3. The extension pole has 4 sections of adjustable length, repeat the above action.
4. Press the rotation button "6" to adjust the head Angle.



### INSTALL THE MACHINE AND BATTERIES

Insert the machine and battery into the card in the direction of the arrow, and lock it when you hear a click.



## WARRANTY

Subject to the following conditions, this unit is covered by a comprehensive two-year warranty.

The unit is designed for domestic purposes only, issues and faults due to commercial use may not be covered by warranty. The warranty covers all manufacturing faults but excludes normal wear and tear, misuse, neglect, accidental damage or defects arising from failure to comply with instructions as outlined in this owners manual. Only genuine spare parts can be used for repairs and this must be carried out by an authorised LawnMaster Services Dealer to maintain warranty.

Warranty does not cover the cost of transportation of any part(s) but does cover the labour/parts cost incurred in repairing or replacing any defective part(s) consequential or special damages and / or expenses resulting from any defect.

If the unit requires further repairs or services please visit **[www.lawnmaster.co.nz](http://www.lawnmaster.co.nz)** to find your local LawnMaster Service Dealer.

For all other enquiries contact **Steelfort Customer Services +64 6 350 1350**

# LawnMaster®

## FIND US



[www.lawnmaster.co.nz](http://www.lawnmaster.co.nz)



[lawnmasternz](#)

---

### Steelfort

500 Rangitikei Street, Private Bag 11045  
Palmerston North, 4412, New Zealand  
06 350 1350

### Steelfort Auckland

880 Great South Road, Penrose  
Auckland, 1061, New Zealand  
09 573 1324

### Steelfort Christchurch

21 William Lewis Drive, Sockburn  
Christchurch, 8042, New Zealand  
03 324 2480